




RISK ASSESSMENT

Pastry & Pizza Ovens

Document Reference

PTS.RA.C12

Activity	Hazards	Risks	UNCONTROLLED Risk Levels	Description of controls	CONTROLLED Risk Levels																																																																				
Diagnosis or Repair of faults and undertaking of routine PPM Servicing on electrically Controlled Gas Fired or Electrically Heated Pastry or Pizza Ovens	Electricity Fire Steam or Hot Air Hot Surfaces Injury from Sharp Edges Working environment Moving heavy objects <u>GAS FIRED ONLY</u> Explosion Flames	Death by Electrocutation Death, Severe Burns and or damage to buildings Scalds & Burns Burns Cuts & Abrasions Slips & Trips Manual Handling Injuries Death or Major Injury Burns	<p>LIKELIHOOD</p> <table border="1"> <tr><td>Most Likely</td><td>5</td><td>✓</td></tr> <tr><td>Likely</td><td>4</td><td></td></tr> <tr><td>Possible</td><td>3</td><td></td></tr> <tr><td>Unlikely</td><td>2</td><td></td></tr> <tr><td>Very Unlikely</td><td>1</td><td></td></tr> </table> <p>SEVERITY</p> <table border="1"> <tr><td>Extreme</td><td>5</td><td></td></tr> <tr><td>Major</td><td>4</td><td>✓</td></tr> <tr><td>Moderate</td><td>3</td><td></td></tr> <tr><td>Minor</td><td>2</td><td></td></tr> <tr><td>Negligible</td><td>1</td><td></td></tr> </table> <p>Risk Score deduced by multiplying Likelihood by Consequence</p> <table border="1"> <tr><td>Risk Score</td><td>20</td></tr> </table> <p>Less than or equal to 5 LOW Between 6 and 12 MEDIUM Above 12 HIGH</p> <table border="1"> <tr><td>UNCONTROLLED Risk Level</td><td>HIGH</td></tr> </table>	Most Likely	5	✓	Likely	4		Possible	3		Unlikely	2		Very Unlikely	1		Extreme	5		Major	4	✓	Moderate	3		Minor	2		Negligible	1		Risk Score	20	UNCONTROLLED Risk Level	HIGH	<ul style="list-style-type: none"> Only competent engineers with relevant training and experience and qualifications to undertake works. Electrical supply to equipment to be isolated prior to any invasive works whatsoever being undertaken as per PTS.RA.SRE - Repairs to Electrical Equipment. Gas supply to equipment (if applicable) to be isolated prior to any invasive works whatsoever being undertaken, Gas Supply to be Locked Off and appropriate Signage Displayed. Equipment not to be worked on until its temperature is deemed sufficiently low (<30°) to minimise risk of Burns. Special attention is to be paid to calibration of Gas Valve (if applicable), Thermostats and Controls to ensure safe operation of the equipment. PPE equipment must be used as per the section PPE REQUIREMENTS below and PTS.RA.S40 Safety - PPE No works to be carried out on or near any moving component while those components are in motion particularly the Fan as per PTS.RA.SRM - Repairs to Mechanical Equipment. 	<p>LIKELIHOOD</p> <table border="1"> <tr><td>Most Likely</td><td>5</td><td></td></tr> <tr><td>Likely</td><td>4</td><td></td></tr> <tr><td>Possible</td><td>3</td><td></td></tr> <tr><td>Unlikely</td><td>2</td><td></td></tr> <tr><td>Very Unlikely</td><td>1</td><td>✓</td></tr> </table> <p>SEVERITY</p> <table border="1"> <tr><td>Extreme</td><td>5</td><td></td></tr> <tr><td>Major</td><td>4</td><td>✓</td></tr> <tr><td>Moderate</td><td>3</td><td></td></tr> <tr><td>Minor</td><td>2</td><td></td></tr> <tr><td>Negligible</td><td>1</td><td></td></tr> </table> <p>Risk Score deduced by multiplying Likelihood by Consequence</p> <table border="1"> <tr><td>Risk Score</td><td>4</td></tr> </table> <p>Less than or equal to 5 LOW Between 6 and 12 MEDIUM Above 12 HIGH</p> <table border="1"> <tr><td>CONTROLLED Risk Level</td><td>LOW</td></tr> </table>	Most Likely	5		Likely	4		Possible	3		Unlikely	2		Very Unlikely	1	✓	Extreme	5		Major	4	✓	Moderate	3		Minor	2		Negligible	1		Risk Score	4	CONTROLLED Risk Level	LOW
Most Likely	5	✓																																																																							
Likely	4																																																																								
Possible	3																																																																								
Unlikely	2																																																																								
Very Unlikely	1																																																																								
Extreme	5																																																																								
Major	4	✓																																																																							
Moderate	3																																																																								
Minor	2																																																																								
Negligible	1																																																																								
Risk Score	20																																																																								
UNCONTROLLED Risk Level	HIGH																																																																								
Most Likely	5																																																																								
Likely	4																																																																								
Possible	3																																																																								
Unlikely	2																																																																								
Very Unlikely	1	✓																																																																							
Extreme	5																																																																								
Major	4	✓																																																																							
Moderate	3																																																																								
Minor	2																																																																								
Negligible	1																																																																								
Risk Score	4																																																																								
CONTROLLED Risk Level	LOW																																																																								
			<p>AFFECTED INDIVIDUALS</p> <table border="1"> <tr><td>PTS Personnel</td><td>✓</td></tr> <tr><td>Maintenance Personnel</td><td>✓</td></tr> <tr><td>Catering Staff</td><td>✓</td></tr> <tr><td>Customers</td><td></td></tr> <tr><td>Visitors</td><td></td></tr> <tr><td>Delivery Personnel</td><td></td></tr> <tr><td>Others (specify)</td><td></td></tr> </table> <p>PPE REQUIREMENTS as per PTS.RA.S40</p> <p>Safety Boots EN 20345, S3 WR SRA Protective Work Wear Clothing Cut Proof Lvl 3 Safety Gloves (EN388)</p>	PTS Personnel	✓	Maintenance Personnel	✓	Catering Staff	✓	Customers		Visitors		Delivery Personnel		Others (specify)		<p>Additional Measures PTS.RA.S01 - Safety - Working on Customer Sites PTS.RA.S10 - Safety - Electrical PTS.RA.S11 - Safety - Gas PTS.RA.S70 - Safety - Manual Handling</p>																																																							
PTS Personnel	✓																																																																								
Maintenance Personnel	✓																																																																								
Catering Staff	✓																																																																								
Customers																																																																									
Visitors																																																																									
Delivery Personnel																																																																									
Others (specify)																																																																									
<table border="1"> <tr> <td>Document Reference</td> <td>PTS.RA.C12</td> </tr> <tr> <td>Issue Status</td> <td>v 10.0</td> </tr> <tr> <td>Issue Date</td> <td>1st Sept 2025</td> </tr> <tr> <td>Issued by</td> <td>Chris Taylor</td> </tr> <tr> <td>Review Date</td> <td>31st August 2027</td> </tr> <tr> <td>Issuers Signature</td> <td></td> </tr> </table>				Document Reference	PTS.RA.C12	Issue Status	v 10.0	Issue Date	1st Sept 2025	Issued by	Chris Taylor	Review Date	31st August 2027	Issuers Signature																																																											
Document Reference	PTS.RA.C12																																																																								
Issue Status	v 10.0																																																																								
Issue Date	1st Sept 2025																																																																								
Issued by	Chris Taylor																																																																								
Review Date	31st August 2027																																																																								
Issuers Signature																																																																									
<p>NB: This document and any amendments must be retained for a minimum of 5 years. In the event of an incident involving an individual aged 18 years or less this documentation must be retained until the individual reaches 21 years of age, this requirement overrides the minimum 5 year rule.</p>																																																																									